



**Terméklap –
FIT moduláris
tetőpanel**




THE POWER OF ROOFS




Műszaki specifikációk

MŰSZAKI ADATOK [mm]		
Megnevezés	FIT S	FIT L
Korcmagasság	22	
Teljes szélesség	558	
Fedőszélesség	527	
Lemezvastagság	0,5	
A lemez hosszúsága	1020	2040
Az átfedés hossza a lemezek felosztásakor	30	
Tetőhajlásszögek	>9°	
Szerelés	reteszelőzár	

Jelenleg a kínálatunkban szereplő FIT moduláris tetőpanelek háromféle kivitelben kaphatók: sima [F], MICRO RIB [M].



Sima felület [F]



Profilalkotás
MICRO RIB [M]



Kétféle bevonattal kapható: **ULTIMAT [UTK]** és **HERCULIT [HC]**, amely garantálja a szín és a szerkezet megismételhetőségét.



Ezt a terméket az építészek és tervezők számára készült BP2 BIM könyvtárunkban találja www.bp2.eu/architekci




A termék két szabványos hosszban kapható:
1020 mm i 2040 mm



Összeszerelés előtt kérjük, olvassa el az összeszerelési utasításokat, amelyek a www.bp2.eu



Panel kialakítás






Modular roofing tiles
MODULAR SERIES



Compact roofing tiles
COMPACT SERIES



Steel roofing tiles
CLASSIC SERIES



Retro roof tiles
RETRO SERIES



Roof panels
PANEL SERIES



**INTEGRATED
PV PANELS**



Steel roof gutter system
INGURI



**TRAPEZOIDAL
SHEETS**



**FLAT METAL
SHEETS**



FLASHINGS



ACCESORIES



**Roof Sandwich
PANELS**



**Wall Sandwich
PANELS**



Facade cladding
SKRIN, LINEA, SINUS



Wall cassette and
PROSYSTEM



Uncoiling and slitting
SERVICES



Flat sheets and cutting
SERVICES



**PERFORATION
of sheets**

